

Professional Innovative
www.smartfy.ae




Easybay International Electronics (S.P.S-L.L.C)

إيزي بي انترناشونال للإلكترونيات (ذ.م.م - ش.ش.و)

☎ 0563400780 ✉ info@easybayinternational.com

Easybay Corp. Office
ST-24, Shaikh Rashid Bin Abdul Aaemi Street
Al Jurf 2, Ajman, UAE

Smartfy[®]
Makes life easy



Smart Hotel Lock System

Redefining Modern Hotel Access

SMARTFY Hotel Lock

304 stainless steel

Stainless steel color lasts more than 10 years

- Support the latest RFID & NFC technology with Mifare 13.56MHz technology;
- Optional Bluetooth & Wireless Online solution, UL fire rated mortise, Moisture & dust proof;
- BHMA (circling test) listed ANSI mortise, Panic release function;
- 304 stainless steel corrosion resistant handle and panels, Hidden mechanical override cylinder;
- Standard 1680 events, optional 3360 events;
- Interface with Opera or FIAS format PMS;
- Operated with 4 standard AA alkaline batteries lasting 12~24 months, Low battery voltage warning;
- Wireless Portable Programmer;
- Room card compatible with hotel lift reader & common access reader for Parking / Swimming Pool / Sauna Room / Tennis Court / Gym etc.



SMARTFY Hotel Lock System


- Interface with most of the PMS systems including Opera and FIAS format PMS
- Room card operates lift, parking and common access readers
- Room card operates Energy savers to manage power
- Room card operates Sauna, Fitness center locker lock
- Interface with third party readers
- Spare unencrypted sections for third party RFID system



PMS Partner




S3479A Hotel Lock



Model:	S3479A
Material:	304 Stainless Steel & High strength zinc alloy
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	35-70mm
Dimension of External Panel:	L60*W60*H12mm


Lock Mortise

Unit:mm



Lock Size

Unit:mm




S3474 Hotel Lock



Model:	S3474
Material:	304 Stainless Steel & High strength zinc alloy
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	35-70mm
Dimension of External Panel:	L52*W52*H12mm


Lock Mortise

Unit:mm




Lock Size

Unit:mm




S3178 Hotel Lock



Model:	S3178
Material:	304 Stainless Steel
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	35-70mm
Dimension of External Panel:	L115*W61*H25mm


Lock Mortise

Unit:mm




Lock Size

Unit:mm




S3472H Hotel Lock



Model:	S3472H
Material:	304 Stainless Steel
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	35-70mm
Dimension of External Panel:	L95*W62*H26mm


Lock Mortise

Unit:mm



Lock Size

Unit:mm




S3476 Hotel Lock



Model:	S3476
Material:	304 Stainless Steel & High strength zinc alloy
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	45-65mm
Dimension of External Panel:	L62*W62*H12mm


Lock Mortise

Unit:mm



Lock Size

Unit:mm




S4032 Hotel Lock



Model:	S4032
Material:	304 Stainless Steel
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	32-70mm
Dimension of External Panel:	L100*W65*H15mm


Lock Mortise

Unit:mm



Lock Size

Unit:mm




S3063P Hotel Lock



Model:	S3063P
Material:	304 Stainless Steel
Working Voltage:	DC6V or 4 AAA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	32-70mm
Dimension of External Panel:	L94*W36*H20mm


Lock Mortise

Unit:mm




Lock Size

Unit:mm




E3064P Hotel Lock



Model:	E3064P
Material:	304 Stainless Steel
Working Voltage:	DC6V or 4 AAA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	32-70mm
Dimension of External Panel:	L280*W40*H13mm


Lock Mortise

Unit:mm




Lock Size

Unit:mm




E3692A Hotel Lock



Model:	E3692A
Material:	304 Stainless Steel
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	32-70mm
Dimension of External Panel:	L295*W76*H28mm


Lock Mortise

Unit:mm




Lock Size

Unit:mm




E3041 Hotel Lock



Model:	E3041
Material:	304 Stainless Steel
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	32-70mm
Dimension of External Panel:	L290*W60*H33mm


Lock Mortise

Unit:mm



Lock Size

Unit:mm




E4441 Hotel Lock



Model:	E4441
Material:	304 Stainless Steel + Hight Quality Acrylic
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	32-70mm
Dimension of External Panel:	L285*W75*H16mm


Lock Mortise

Unit:mm



Lock Size

Unit:mm




E4031 Hotel Lock



Model:	E4031
Material:	304 Stainless Steel
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	32-70mm
Dimension of External Panel:	L280*W75*H22mm


Lock Mortise

Unit:mm




Lock Size

Unit:mm




ECO-141 Hotel Lock



Model:	ECO-141
Material:	Cr stainless steel + ABS panel
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	32-70mm
Dimension of External Panel:	L338mm * W72mm * H22mm


Lock Mortise

Unit:mm




Lock Size

Unit:mm




ECO-145 Hotel Lock



Model:	ECO-145
Material:	Aluminum Alloy + Mirror Plexiglass Panel
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlocking record:	1680PCS
Door Thickness:	32-70mm
Dimension of External Panel:	L270*W69*H20mm


Lock Mortise

Unit:mm



Lock Size

Unit:mm




E3093 Smart Lock



Model:	E3093
Material:	304 Stainless Steel
Working Voltage:	DC6V or 4 AA Alkaline batteries
Unlock Ways:	Password, Card,Key, APP
Door Thickness:	32-70mm
Dimension of External Panel:	L313*W76*H34mm


Lock Mortise

Unit:mm




Lock Size


Unit:mm



Hotel Mobile Key Application



Hotel Wireless Online Lock & Door Plate Application



Bathroom Lock

Complete 304 stainless steel material



Locker Lock

Application:

Sauna room, Fitness Center, Spa, Gym, Water Park, Dormitory, Hospital, Soldier Camp etc.

1. Standard Mode:

ID or Mifare Card, program permanent guest keys and management keys on lock in advance.

2. Software Mode:

Mifare Card, program guest keys and management keys with validity via software and encoder.

3. One card system function available.



Model: SN-880 / SN-881



Model: SN-830 / SN-831



Model: SN-870 / SN-871



Model: SN-840 / SN-841



Model: SN-860 / SN-861



Hotel Room Safe

Features

- Steel material
- Events tracking function (optional)
- Spring loaded door
- Mounting holes at bottom and back with tamper-proof screws
- Timeout wrong code security feature
- Low battery warning

Model:2042MJ
Size(mm):W420*H200*D370



Hotel Minibar

Features

- Cooling Method: Absorption/Semi-conductor/Compressor
Door Type: Black foam/Glass
Capacity: 29 to 60 Liters



Model:2043MB
Size(mm):W430*H200*D370



Model:2042MG
Size(mm):W420*H200*D370



Model:2042MF
Size(mm):W420*H190*D360



Model:OBT-40JA Absorption
Size(mm):W400*H560*D430



Model:CP-47B Compressor
Size(mm):W449*H500*D470



Model:CP-29B Compressor
Size(mm):W384*H490*D410



Model:4135MG
Size(mm):W410*H150*D350



Model:4135MJ
Size(mm):W410*H150*D350



Model:OBT-40CG Absorption
Size(mm):W400*H560*D440



Model:CP-52D Compressor
Size(mm):W445*H503*D500



Model:CP-29D Compressor
Size(mm):W380*H490*D403

Hotel Lock System Accessories

Single relay card reader:



Main function:

- General passage setting
- Vip passage setting
- Floor passage setting
- Time period control
- Lock state setting
- Open state setting
- Black list function

Multiple Relay Lift Controller



MFC-16

Features

- Guest card activates authorized floor/floors
- Staff card activates all floors
- Contactless, show card to illuminate authorized lift button, no need pressing
- Fire or emergency protection
- Safe and hygienic



550 Mifare Card

Customized design:

- Hotel logo, name, picture
- Hotel contact & address
- Lock operation instruction
- Advertisement



MI-ECD20 Mifare Encoder

- Enhanced stainless steel body
- Enhanced anti-interference function
- USB portcommunication, driver free
- Encrypted algorithm with illegal cards identification function
- Double confidentiality with logic control




OBT-PP01 Wireless Portable Programmer

Helpful & Convenient

- Program locks
 - Update clock
 - Read & Download opening records
 - Open locks as master card
 - Can export 64 lock opening records to computer by USB one time
- Read room number and PCB version No.
 - Read battery status
 - Can setup lock to be network status (Only for Online type lock system)
 - Language: Chinese, English,Spanish available

Dimension of External Panel:	L182*W68*H40mm
Material:	Black Plastic
Support type:	Mifare Smart Door Locks
Working Frequency:	13.56MHZ
Reading distance:	3-10cm

Energy Saving Switch



ESS-20

- Size: 86mm*86mm
- Input: A/C 100v~150v or 180v~250v,40A
- Frequency: 13.56MHz
- Power Control: insert guest's own room card or staff card to get power. Other room cards can not get power



ESS-40

- Size: 86mm*86mm
- Input: A/C 100v~150v or 180v~250v,40A
- Frequency: 13.56MHz
- Power Control: insert any 13.56Mhz card to get power



ESS-70

- Size:86mm*86mm
- Input: D/C 12v,120A, 3 phase out put with controller box.
- Frequency:13.56MHz
- Power Control: insert guest's own room card to get full power or staff card to get distributed power (programmable)



ESS-100

- Size:86mm*86mm
- Input: D/C 12v,120A, 1 phase out put with controller box
- Frequency:13.56MHz
- Power Control: insert guest's own room card to get full power (programmable)



ESS-41

- Size:86mm*86mm
- Input: A/C 100v~150v or 180v~250v,40A
- Frequency:13.56MHz
- Power Control: insert any 13.56Mhz card to get power



ESTD-01

- Size:86mm*172mm
- Input: A/C 100v~150v or 180v~250v,40A
- Frequency:13.56MHz
- With DND, MUR touch panel
- Power Control: insert any 13.56Mhz card to get power



Hotel Door Plate
product dimensions :

- Size:130mm*230mm
- Frame : Zinc alloy material.
- Panel : Acrylic/Glass material.
- Rear Cover :ABS fire-proof material.
- Working Voltage : DC12V / 110-240V
- Power Consumption : Standby power consumption is less than 1W
- Working Life : Relay contact 100,000 times.

Hotel Telephone

Customized hotel logo and text. One touch direct dialing buttons



SMT-1016



SMT-1005



SMT-1009



SMT-10098

Bathroom Telephone

Wall mounted & waterproof



SMT-1011



SMT-1012



SMARTFY - Premium GRMS & Smart Automation Solutions

SMARTFY delivers high-quality GRMS systems, hotel automation, and smart home solutions designed to upgrade modern living and hospitality spaces. We specialize in advanced room control systems, smart locks, energy management, lighting automation, security devices, and IoT-based technologies that enhance comfort, safety, and efficiency. Our products are engineered for reliability, seamless performance, and user-friendly operation-offering hotels and homes a smarter, more connected experience. With SMARTFY, you get innovative technology, elegant design, and trusted automation solutions made for the future.

Smartfy[®]
Makes life easy



Hotels We provided our Products



Dubai Mirage Hotel



Dubai Corp Hotel



Dubai Arjaan Hotel By Ronata



Dubai Arabian Suite



Dubai Golden Beach Resort Qeshm Island

